L Number	Hits	Search Text	DB	Time stamp
15	1061	(372/57,58,37).CCLS.	USPAT;	2004/04/02 19:13
	: 		US-PGPUB	
16	3	((372/57,58,37).CCLS.) and shaft same (Ni nickel) same (Cr	USPAT;	2004/04/02 19:13
		chromium)	US-PGPUB	2002/06/22 44 22
-	118	((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/23 11:33
		motor) and bearing	US-PGPUB;	
			EPO; JPO; IBM_TDB	
	31	(((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 16:20
-	31	motor) and bearing) and (radial axial) with magnetic with	US-PGPUB;	2003/00/20 10.20
		bearing	EPO; JPO;	
		bearing	IBM_TDB	
	24	(((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 16:06
		motor) and bearing) and permanent with magnet	US-PGPUB;	2000/00/20 20:00
		motor, and bearing, and permanent marming.	EPO; JPO;	į
			IBM_TDB	
-	11	((((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 16:06
		motor) and bearing) and (radial axial) with magnetic with	US-PGPUB;	
		bearing) and ((((excimer discharge) near3 laser and fan and	EPO; JPO;	
		shaft and motor) and bearing) and permanent with magnet)	IBM_TDB	
-	46	(((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 16:21
		motor) and bearing) and bearing and sensor	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	26	((((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 16:46
		motor) and bearing) and bearing and sensor) and radial and	US-PGPUB;	
		axial	EPO; JPO;	:
	_		IBM_TDB	
-	4	6104735.URPN.	USPAT	2003/06/20 16:27
-	1	"5848089".PN.	USPAT	2003/06/20 16:29
-	13	5848089.URPN.	USPAT	2003/06/20 16:30
-	5	("4891818"   "4959840"   "5023884"   "5727011"	USPAT	2003/06/20 16:37
	941	"5770933").PN.	USPAT	2002/06/20 16:50
_	19	(372/57,58,37).CCLS. ((372/57,58,37).CCLS.) and sensor and bearing and shaft	USPAT;	2003/06/20 16:50 2003/06/20 18:18
_	19	and motor	EPO; JPO;	2003/00/20 18.16
			IBM_TDB	
_	3	(((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 18:18
	J	motor) and bearing) and (axial with bearing) same	EPO; JPO;	2003/00/20 10:10
		permanent	IBM_TDB	
-	182	(excimer discharge) near3 laser and fan and shaft and motor	USPAT;	2003/06/20 18:36
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
- 1	2	((excimer discharge) near3 laser and fan and shaft and	USPAT;	2003/06/20 18:37
Ì		motor) and axial with bearing with permanent	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1112	(excimer discharge) near3 laser and fan	USPAT;	2003/06/20 18:37
İ			US-PGPUB;	
			EPO; JPO;	
	•	//avainan disabanas) nang lasa and 5-10 to 10 to 10	IBM_TDB	2002/06/20 20 :=
•	2	((excimer discharge) near3 laser and fan ) and axial with	USPAT;	2003/06/20 20:47
		bearing with permanent	US-PGPUB;	
			EPO; JPO;	
_	2	372/\$ ccls, and fan and (avial with hoaring with names and	IBM_TDB	2002/06/20 20:54
-	2	372/\$.ccls. and fan and (axial with bearing with permanent)	USPAT; US-PGPUB;	2003/06/20 20:51
			EPO; JPO;	
ļ			IBM_TDB	
		l	םחו"ויוחד	L

-	1	372/\$.ccls. and fan same (axial with bearing with permanent)	USPAT; US-PGPUB;	2003/06/20 21:35
		,	EPO; JPO; IBM_TDB	
_	9	372/\$.ccls. and fan and (axial with bearing) and (magnet\$3	USPAT;	2003/06/20 21:01
		with permanent)	US-PGPUB;	
ļ		,	EPO; JPO;	
1			IBM_TDB	
-	18	((excimer discharge gas) near3 laser) and fan and (axial	USPAT;	2003/06/20 21:06
		with bearing) and (magnet\$3 with permanent)	US-PGPUB;	
	İ		EPO; JPO;	
_	9	(((excimer discharge gas) near3 laser) and fan and (axial	IBM_TDB USPAT;	2003/06/20 21:01
		with bearing) and (magnet\$3 with permanent)) not	US-PGPUB;	2003/00/20 21.01
		(372/\$.ccls. and fan and (axial with bearing) and (magnet\$3	EPO; JPO;	
	1	with permanent))	IBM_TDB	
-	28	((excimer discharge gas) near3 laser) and fan and (axial	USPAT;	2003/06/20 21:06
		with bearing) same magnet\$3	US-PGPUB;	
			EPO; JPO;	
		(Maurines disphases and an Oh and Aria	IBM_TDB	2002/06/22 2: 22
-	14	1 ((( (	USPAT;	2003/06/20 21:06
}		with bearing) same magnet\$3) not ((((excimer discharge gas) near3 laser) and fan and (axial with bearing) and	US-PGPUB; EPO; JPO;	,
ĺ		(magnet\$3 with permanent)) (372/\$.ccls. and fan and (axial	IBM_TDB	
		with bearing) and (magnet\$3 with permanent)))	1011_100	
-	1	(372/\$.ccls. and fan same (axial with bearing with	USPAT;	2003/06/20 21:35
	1	permanent)) and steel	US-PGPUB;	, ,
			EPO; JPO;	
			IBM_TDB	
-	202200	09/955,309	US-PGPUB	2003/06/20 21:36
-	203289	09/955,309 an d steel 09/955,309 and steel	US-PGPUB	2003/06/20 21:36
-	1 1	((excimer discharge) near3 laser and fan and shaft and	US-PGPUB US-PGPUB	2003/06/20 21:45 2003/06/20 21:45
	1	motor) and shaft with austenit\$4	03-PGPOB	2003/00/20 21.45
-	3	((excimer discharge) near3 laser and fan and shaft and	US-PGPUB	2003/06/20 21:46
		motor) and shaft with steel		
-	1	372/\$.ccls. and shaft with austenit\$4	USPAT;	2003/06/20 21:47
			US-PGPUB;	
			EPO; JPO;	
l <u>.</u>	6	372/\$.ccls. and shaft with (stainless with steel)	DERWENT	2002/06/20 22:00
		372/\$.ccis. and shart with (stainless with steel)	USPAT; US-PGPUB;	2003/06/20 22:08
			EPO; JPO;	
			DERWENT	
-	1	6404794.pn. and coil	USPAT;	2003/06/20 22:09
			US-PGPUB;	
			EPO; JPO;	
	50	((oveimor age) near2 lacer) and for and (near-age) = 4/2	DERWENT	2002/06/22 42 47
	50	((excimer gas) near3 laser) and fan and (permanent adj2 magnet)	USPAT; US-PGPUB;	2003/06/23 13:47
		inagnet/	EPO; JPO;	
			IBM_TDB	
-	43	((excimer gas) near3 laser) and fan and (pole with	USPAT;	2003/06/23 13:48
		magnet\$3)	US-PGPUB;	. , ==::-
			EPO; JPO;	
		///	IBM_TDB	2000/05/55 -
-	10	(((excimer gas) near3 laser) and fan and (pole with	USPAT;	2003/06/23 13:48
	•	magnet\$3)) not "50"	US-PGPUB; EPO; JPO;	
			IBM_TDB	
		L	4011_100	L

-	16	(US-6577664-\$ or US-6532246-\$ or US-6519273-\$ or	USPAT;	2003/06/23 17:00
	1	US-6417591-\$ or US-6404794-\$ or US-6366039-\$ or	US-PGPUB	
		US-6337872-\$ or US-6535539-\$ or US-6539043-\$ or		
		US-6104735-\$ or US-5848089-\$ or US-6490304-\$ or		
		US-6442181-\$ or US-6464472-\$ or US-6026103-\$).did. or		
		(US-20030107283-\$).did.		
<u>-</u>	0	((US-6577664-\$ or US-6532246-\$ or US-6519273-\$ or	USPAT;	2003/06/23 17:01
		US-6417591-\$ or US-6404794-\$ or US-6366039-\$ or	EPO; JPO;	2003/00/23 17:01
1		US-6337872-\$ or US-6535539-\$ or US-6539043-\$ or		
İ			IBM_TDB	
		US-6104735-\$ or US-5848089-\$ or US-6490304-\$ or		
1		US-6442181-\$ or US-6464472-\$ or US-6026103-\$).did. or		
	27762	(US-20030107283-\$).did.) and shaft with anneal\$4		
-	27760	((excimer gas) near2 laser)((US-6577664-\$ or	USPAT;	2003/06/23 17:03
		US-6532246-\$ or US-6519273-\$ or US-6417591-\$ or	EPO; JPO;	
		US-6404794-\$ or US-6366039-\$ or US-6337872-\$ or	IBM_TDB	
	ł	US-6535539-\$ or US-6539043-\$ or US-6104735-\$ or		
	•	US-5848089-\$ or US-6490304-\$ or US-6442181-\$ or		
		US-6464472-\$ or US-6026103-\$).did. or		
		(US-20030107283-\$).did.) and shaft with anneal\$4		
-	0	((excimer gas) near2 laser) and shaft with anneal\$4	USPAT;	2003/06/23 17:03
		((*************************************	EPO; JPO;	2000,00,20 27.00
			IBM_TDB	
_	27760	((excimer gas) near2 laser)((US-6577664-\$ or	USPAT;	2003/06/23 17:03
	2,700	US-6532246-\$ or US-6519273-\$ or US-6417591-\$ or	EPO; JPO;	2003/00/23 17:03
		US-6404794-\$ or US-6366039-\$ or US-6337872-\$ or	IBM_TDB	
		US-6535539-\$ or US-6539043-\$ or US-6104735-\$ or	TDI4-1 DD	
		US-5848089-\$ or US-6490304-\$ or US-6442181-\$ or		
	-	US-6464472-\$ or US-6026103-\$).did. or		
		(US-20030107283-\$).did.) and shaft with anneal\$4	LICOAT	2000/06/00 47 00
-	0	((excimer gas) near2 laser) and shaft with anneal\$4	USPAT;	2003/06/23 17:03
			EPO; JPO;	
		//t	IBM_TDB	
-	32	((excimer gas) near2 laser) and magnet\$3 with anneal\$4	USPAT;	2003/06/23 17:04
			EPO; JPO;	
	1		IBM_TDB	
-	15	((excimer gas) near2 laser) and shaft with (Ni nickel Cr	USPAT;	2003/06/23 17:25
		chromium)	EPO; JPO;	
	_		IBM_TDB	
-	13	((excimer gas) near2 laser) and (radial with bearing) same	USPAT;	2003/06/23 17:33
		coil	EPO; JPO;	
			IBM_TDB	
<del>-</del>	1	6404794.pn. and housing	USPAT;	2003/06/23 17:42
			EPO; JPO;	
			IBM_TDB	
-	446	(radial with magnetic with bearing) same coil	USPAT;	2003/06/23 18:03
			EPO; JPO;	=====================================
	1		IBM_TDB	
_	10	((radial with magnetic with bearing) same coil) and (excimer	USPAT;	2003/06/23 17:43
		gas) near3 laser	EPO; JPO;	2000/00/25 17.45
		3-27	IBM_TDB	
-	1166	((position displacement) with sensor) and (excimer gas)	USPAT;	2003/06/22 10:05
	]	near3 laser		2003/06/23 18:05
			EPO; JPO;	
_	179	(((nosition displacement) with concert and (overimes and)	IBM_TDB	2002/06/22 40:40
	1/9	(((position displacement) with sensor) and (excimer gas)	USPAT;	2003/06/23 18:19
	1	near3 laser) and sensor same magnet\$4	EPO; JPO;	
_	F4	(((nocition displacement) with several and (surface as )	IBM_TDB	2002/06/02 : 2 25
-	54	(((position displacement) with sensor) and (excimer gas)	USPAT;	2003/06/23 18:06
		near3 laser) and shaft and fan	EPO; JPO;	
····	<u> </u>	<u> </u>	IBM_TDB	

			<del>,</del>	·
-	21	((((position displacement) with sensor) and (excimer gas)	USPAT;	2003/06/23 18:06
		near3 laser) and sensor same magnet\$4) and ((((position	EPO; JPO;	
		displacement) with sensor) and (excimer gas) near3 laser)	IBM_TDB	
	_	and shaft and fan)		2000/06/00 10 10
-	6	((((position displacement) with sensor) and (excimer gas)	USPAT;	2003/06/23 18:19
		near3 laser) and sensor same magnet\$4) and sensor same	EPO; JPO;	
		(disk and hole)	IBM_TDB	
-	1311	(372/57,58,37).CCLS.	USPAT;	2003/12/04 12:57
			EPO; JPO;	
			IBM_TDB	
-	131	((372/57,58,37).CCLS.) and (stainless with steel)	USPAT;	2003/12/04 12:58
			US-PGPUB;	
	1		EPO; JPO;	
		(/272/57 50 27) COLC) and (she) also with sheat with (she)	IBM_TDB	2002/42/04 42 50
-	11	((372/57,58,37).CCLS.) and (stainless with steel with (shaft	USPAT;	2003/12/04 12:58
		rotary fan))	US-PGPUB;	
			EPO; JPO;	
	00	/	IBM_TDB	2002/42/04 42 00
-	90	(austenitic with stainless with steel) with (shaft fan rotary)	USPAT;	2003/12/04 13:00
			US-PGPUB;	
	İ		EPO; JPO;	
1	_	(/austonitie with stainless with steel) with /sheft for mit.	IBM_TDB	2002/42/04 42:02
-	3	((austenitic with stainless with steel) with (shaft fan rotary))	USPAT;	2003/12/04 13:00
		and (gas discharge) near3 laser	US-PGPUB;	
			EPO; JPO;	
	8	//272/E7 E9 27) CCLC ) and (chaft with (magnet near)	IBM_TDB	2002/12/04 12:07
-	•	((372/57,58,37).CCLS.) and (shaft with (magnet near3	USPAT;	2003/12/04 13:07
		permanent))	US-PGPUB;	
			EPO; JPO; IBM_TDB	
_	3	((372/57,58,37).CCLS.) and (austenitic with stainless with	USPAT;	2003/12/04 13:19
		steel)	US-PGPUB;	2003/12/04 13.19
		sieel)	EPO; JPO;	
			IBM_TDB	
_	25	((372/57,58,37).CCLS.) and ((seal\$3 cover\$3 cap\$4) with	USPAT;	2003/12/04 13:20
	25	coil)	US-PGPUB;	2003/12/04 13.20
		33117	EPO; JPO;	
			IBM_TDB	
-	3	(((372/57,58,37).CCLS.) and ((seal\$3 cover\$3 cap\$4) with	USPAT;	2003/12/04 13:21
		coil)) and magnetic with pole	US-PGPUB;	
	i	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			IBM_TDB	
-	3	(((372/57,58,37).CCLS.) and ((seal\$3 cover\$3 cap\$4) with	USPAT;	2003/12/04 13:23
		coil)) and position with sensor	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	6	((372/57,58,37).CCLS.) and coil and (position near3 sensor)	USPAT;	2003/12/04 13:23
			US-PGPUB;	
[ i			EPO; JPO;	
	_		IBM_TDB	
-	2026	(excimer discharge gas) near3 laser and fan	USPAT;	2004/04/02 16:06
1			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
<del>-</del>	91	((excimer discharge gas) near3 laser and fan) and rotary	USPAT;	2004/04/02 16:05
		with shaft	US-PGPUB;	
			EPO; JPO;	ii
	, ,	///overience disabases and name? Income and for a red and	IBM_TDB	2004/04/02 : 5 25
-	2	(((excimer discharge gas) near3 laser and fan) and rotary	USPAT;	2004/04/02 16:06
		with shaft) and shaft same (Ni nickel)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	

-	1	((((excimer discharge gas) near3 laser and fan) and rotary with shaft) and shaft same (Ni nickel)) and shaft same (Cr chromium)	USPAT; US-PGPUB; EPO; JPO;	2004/04/02 16:07
			IBM_TDB	
-	3127	(excimer discharge gas) near3 laser and shaft	USPAT; US-PGPUB;	2004/04/02 16:06
			EPO; JPO; IBM_TDB	
-	74	((excimer discharge gas) near3 laser and shaft) and shaft same (Ni nickel)	USPAT; US-PGPUB;	2004/04/02 16:06
			EPO; JPO; IBM_TDB	
-	9	(((excimer discharge gas) near3 laser and shaft) and shaft same (Ni nickel)) and shaft same (Cr chromium)	USPAT; US-PGPUB;	2004/04/02 19:12
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			IBM_TDB	